

# **Material Safety Data Sheet**

Version: 1.0

Creation Date: May 12, 2021 Revision Date: May 12, 2023

# 1. Identification

CIS-2-BUTEN-1-OL

**Synonym(s)** 2-Buten-1-ol, (Z)-

**Recommended use** professional, scientific and technical activities: scientific research and development

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company nameAddress Kaimosi BioChem Tech Co.,Ltd

**Telephone** Phone +(86) 571 8719 1913

Fax +(86) 571 8756 2572

**Emergency phonenumber** Emergency Assistance +(86) 17300961653

# 2. Hazard(s) identification

**Physical hazards** Flammable liquids Category 3

Health hazards Not classified.

OSHA hazard(s) Not classified.

**Label elements** 



Signal word Warning

**Hazard statement** Flammable liquid and vapor.

**Precautionary statement** 

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Use explosion-proof electrical/ventilating/lighting equipment. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static

discharge. Wear protective gloves/eye protection/face protection.

**Response** Eliminate all ignition sources if safe to do so. IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use appropriate media for extinction.

**Storage** Store in a well-ventilated place. Keep cool.

**Disposal** Dispose of contents/container to an approved incineration plant.

Hazard(s) not otherwise

classified (HNOC)

Static accumulating flammable liquid

**Supplemental information** 

Hazard statement Static accumulating flammable liquid can become electrostatically charged even in bonded and

grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

**Precautionary statement** 

**Prevention** 

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and

receiving equipment. These alone may be insufficient to remove static electricity.

Material name: CIS-2-BUTEN-1-OL 1 / 7

# 3. Composition/information on ingredients

#### **Substances**

**Hazardous components** 

Chemical name	Common name and synonyms	<b>CAS</b> number	%
CIS-2-BUTEN-1-OL	2-Buten-1-ol, (Z)-	4088-60-2	100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Not available.

**Skin contact**Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medica

attention if irritation develops and persists.

**Eye contact** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

Most important symptoms/effects, acute and

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

# 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. By heating and fire, harmful vapors/gases may be formed. Material will float and may ignite on surface of water.

Special protective equipment and precautions for firefighters Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

Fire-fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

so without risk

Specific methods

In the event of fire and/or explosion do not breathe fumes. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove all possible sources of ignition in the surrounding area. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them. Wear appropriate personal protective equipment.

Material name: CIS-2-BUTEN-1-OL 2 / 7

# Methods and materials for containment and cleaning up

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Stop the flow of material, if this is without risk.

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Prevent entry into waterways, sewer, basements or confined areas.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the MSDS.

#### **Environmental precautions**

Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

# 7. Handling and storage

#### **Precautions for safe handling**

Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code". DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not smoke. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment.

# Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in cool place. Eliminate sources of ignition. Avoid spark promoters. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Refrigeration recommended. Store in a well-ventilated place. Keep container tightly closed. Keep in an area equipped with sprinklers. Store in a cool, dry place out of direct sunlight.

#### 8. Exposure controls/personal protection

**Occupational exposure limits** No exposure limits noted for ingredient(s).

**Biological limit values**No biological exposure limits noted for the ingredient(s). **Appropriate engineering**Explosion-proof general and local exhaust ventilation.

# controls

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear eye/face protection.

Skin protection

**Hand protection** Wear protective gloves.

Other Wear suitable protective clothing. Wear protective gloves.

Respiratory protection No personal respiratory protective equipment normally required.

**Thermal hazards** Not available.

General hygiene considerations

When using do not smoke. Wash hands before breaks and immediately after handling the product.

Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

#### **Appearance**

Physical state Liquid.
Color Colourless
Odor Not available.
Odor threshold Not available.
PH Not available.
Melting point/freezing point Not available.

Material name: CIS-2-BUTEN-1-OL 3 / 7

Initial boiling point and

boiling range

253.4 °F (123 °C)

Flash point 98.60 °F (37.00 °C) estimated

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit -

upper (%)

Not available.

Not available.

**Explosive limit - lower** 

(%)

(%)

**Explosive limit - upper** Not available.

0.7933 kPa at 25 °C Vapor pressure Vapor density Not available. **Relative density** Not available.

Solubility(ies) 166 g/l at 25 °C (lit.)

**Partition coefficient** (n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Density** 0.87 g/cm3 at 20 °C Flammability class Flammable IC estimated

Molecular formula C4H8O Molecular weight 72.11 Specific gravity 0.8662

# 10. Stability and reactivity

Reactivity Not available. **Chemical stability** Risk of ignition.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks. Avoid temperatures exceeding the flash point.

**Incompatible materials** None known

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

#### Information on likely routes of exposure

Ingestion Due to lack of data the classification is not possible. Inhalation Due to lack of data the classification is not possible. Skin contact Due to lack of data the classification is not possible. **Eye contact** Due to lack of data the classification is not possible.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

# Information on toxicological effects

**Acute toxicity** The toxicological properties of this material have not been fully investigated and its handling and

4/7

use may be hazardous.

Skin corrosion/irritation Serious eye damage/eye

Due to lack of data the classification is not possible. Due to lack of data the classification is not possible.

irritation

**Respiratory sensitization** Due to lack of data the classification is not possible.

Material name: CIS-2-BUTEN-1-OL

**Skin sensitization**Due to lack of data the classification is not possible. **Germ cell mutagenicity**Due to lack of data the classification is not possible.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Reproductive toxicity**Due to lack of data the classification is not possible. **Specific target organ toxicity**Due to lack of data the classification is not possible.

single exposure

Specific target organ toxicity

- repeated exposure

Due to lack of data the classification is not possible.

**Aspiration hazard** Due to lack of data the classification is not possible.

# 12. Ecological information

**Ecotoxicity** No ecotoxicity data noted for the ingredient(s).

**Persistence and degradability** No data is available on the degradability of this product.

Bioaccumulative potentialNot available.Mobility in soilNot available.Other adverse effectsNot available.

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Not available.

**Hazardous waste code** D001: Waste Flammable material with a flash point <140 F

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Read safety instructions, SDS and emergency procedures before handling.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

#### DOT

UN number UN1993

**UN proper shipping name** Flammable liquids, n.o.s. (cis-2-BUTEN-1-OL)

Transport hazard class(es) 3

**Subsidary class(es)** Not available.

Packing group III

Special precautions for user

Labels required

Special provisions B1, B52, IB3, T4, TP1, TP29

Packaging exceptions 150
Packaging non bulk 203
Packaging bulk 242

**IATA** 

UN number UN1993

**UN proper shipping name** Flammable liquid, n.o.s. (cis-2-BUTEN-1-OL)

Transport hazard class(es) 3
Subsidary class(es) Packaging group III
Environmental hazards No

**Labels required** Not available.

ERG Code 3L

**Special precautions for** Not available.

user

**IMDG** 

**UN number** UN1993

**UN proper shipping name** FLAMMABLE LIQUID, N.O.S. (cis-2-BUTEN-1-OL)

Transport hazard class(es) 3

Subsidary class(es) Packaging group III

**Environmental hazards** 

Marine pollutant No

Labels requiredNot available.EmSF-E, S-ESpecial precautions forNot available.

user

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

DOT



IATA; IMDG



# 15. Regulatory information

US federal regulations

CERCLA/SARA Hazardous Substances - Not applicable.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not on regulatory list.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

No

hazardous substance SARA 311/312

No

**Hazardous chemical** 

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

Not regulated.

(SDWA)

Material name: CIS-2-BUTEN-1-OL

# Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

# Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

#### **DEA Exempt Chemical Mixtures Code Number**

Not regulated.

Food and Drug
Administration (FDA)

Not regulated.

**US state regulations**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

On inventory (yes/no)\*

No

Nο

#### **US. Massachusetts RTK - Substance List**

Not regulated.

#### **US. New Jersey Worker and Community Right-to-Know Act**

**Inventory name** 

Domestic Substances List (DSL)

Not regulated.

#### **US. Pennsylvania RTK - Hazardous Substances**

Not regulated.

### **US. Rhode Island RTK**

Not regulated.

#### **US. California Proposition 65**

#### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Australian Inventory of Chemical Substances (AICS)

Not listed.

#### **International Inventories**

Australia

Canada

Country(s) or region

Cariada	Domestic Substances List (DSL)	
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

Issue date July-08-2013

Version # 01

**Further information** Not available.

**Disclaimer** Kaimosi BioChem Tech Co., Ltd granted to make unlimited paper copies for internal use only. The

above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Kaimosi BioChem Tech Co., Ltd and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.kaimosi.com and/or the reverse side of invoice or packing slip for

additional terms and conditions

of sale.

Material name: CIS-2-BUTEN-1-OL 7 / 7